

PRODUCT MONOGRAPH	
GENERIC NAME	Myo-Inositol, D-Chiro-Inositol, Chromium, Vitamin D2 and Folic Acid
TRADE NAME	INOSIDIN®
FDA REGISTRATION NO.	FR-4000012326747
PICTURE	
MANUFACTURER	RAVENBHEL HEALTHCARE PVT. LTD., 16-17 Epip Sidco Kartholi Bari Brahmana Jammu J&K India
IMPORTER	AMBICA INTERNATIONAL CORPORATION, 9 Amsterdam Extension Merville Park Subd. Paranaque City, Metro Manila
DISTRIBUTOR	MEDCHOICE WOMEN'S HEALTH (MCWH), INC. Unit 1002, 88 Corporate Center, Sedeño cor. Valero Sts., Makati City
PHARMACOLOGIC CLASSIFICATION	Food Supplement
DOSAGE FORM	Chewable Tablet

MEDCHOICE WOMEN'S HEALTH (MCWH), INC.

Unit 1002, 88 Corporate Center,
Sedeño corner Valero Sts.,
Salcedo Village, Makati City, Philippines
www.medchoicepharma.com

<p>THERAPEUTIC INDICATION</p>	<ul style="list-style-type: none"> > PCOS (Polycystic ovary syndrome) > Improves pregnancy rate and lower cancellation rate in women with PCOS > Restores normal ovulatory activity and fertility in women with PCOS > Increases SHBG (sex hormone binding globulin) – Deals with any free testosterone in our blood stream > Increases progesterone > Lowers testosterone levels > Improves insulin sensitivity > Decreases luteinizing hormone > Induces weight loss > Help a fat-clogged liver to unclog itself (Fat clogged livers are a problem for roughly 50% of women with PCOS) > Relieves depression and mood disorders > Improves appetite
<p>FORMULATION</p>	<p>Each uncoated chewable tablet contains:</p> <p>Myo-Inositol USP..... 1100 mg</p> <p>D-Chiro-Inositol..... 27.60 mg</p> <p>Chromium..... 50 mcg (as Chromium Picolinate USP)</p> <p>Vitamin D2..... 200 IU (as Stabilized)</p> <p>Folic Acid..... 200 mcg</p>
<p>DOSAGE AND ADMINISTRATION</p>	<p>Chew thoroughly and swallow tablet usually once daily or as advised by healthcare professional.</p>
<p>PRECAUTIONS</p>	<p>Pregnancy and Breast-Feeding: Not enough is known about the use of inositol during pregnancy and breast-feeding. Stay on the safe side and avoid use.</p> <p>To provide comfort to the body following are some of the precautions that are to be considered:</p> <ul style="list-style-type: none"> - To avoid the adverse effects appearing the person is advised not to consume alcohol and is advised not to smoke. - Before the intake of the medication, the person is advised to inform the Healthcare professional if she is undergoing any other medications including the prescription or the non-prescription. - If the person has undergone any liver issue then it is advised to inform the Healthcare professional before the start of the treatment.

PACKAGING

10 x 10 Tablets in Alu- Alu Blister pack in a carton. (Box of 30's)

MEDCHOICE WOMEN'S HEALTH (MCWH), INC.

Unit 1002, 88 Corporate Center,
Sedeño corner Valero Sts.,
Salcedo Village, Makati City, Philippines
www.medchoicepharma.com